



Chemotherapy: Liposarcoma Drugs
Halaven (eribulin mesylate) J9179,
Yondelis (trabectedin) J9352
Prior Authorization Request
Medicare Part B Form

*Instructions: * Indicates required information – Form may be returned if required information is not provided. Please fax this request to the appropriate fax number listed at the bottom of the page.*

<input type="checkbox"/>	Standard Request– (72 Hours)	<input type="checkbox"/>	Urgent Request (standard time frame could place the member's life, health or ability in serious jeopardy)
Date Requested _____			
Requestor _____ Clinic name: _____ Phone _____ / Fax _____			

MEMBER INFORMATION

*Name: _____ *ID#: _____ *DOB: _____

PRESCRIBER INFORMATION

*Name: _____ MD FNP DO NP PA *Phone: _____

*Address: _____ *Fax: _____

DISPENSING PROVIDER / ADMINISTRATION INFORMATION

*Name: _____ Phone: _____

*Address: _____ Fax: _____

PROCEDURE / PRODUCT INFORMATION

HCPC Code	Name of Drug	Dose (Wt: _____ kg Ht: _____)	Frequency	End Date if known

Self-administered Provider-administered Home Infusion

Chart notes attached. **Other important information:** _____

Diagnosis: ICD10: _____ **Description:** _____

Provider attests the diagnosis provided is an FDA-Approved indication for this drug

CLINICAL INFORMATION

New Start or Initial Request: (Clinical documentation required for all requests)
 Provider has reviewed the attached “Criteria for Approval” and attests the member meets ALL required PA criteria.
 If not, please provide **clinical rationale** for formulary exception: _____

Continuation Requests: (Clinical documentation required for all requests)
 Patient had an adequate response or significant improvement while on this medication.
 If not, please provide clinical rationale for continuing this medication: _____

ACKNOWLEDGEMENT

Request By (Signature Required): _____ **Date:** ____ / ____ / ____
 Any person who knowingly files a request for authorization of coverage of a medical procedure or service with the intent to injure, defraud or deceive any insurance company by providing materially false information or conceals material information for the purpose of misleading, commits a fraudulent insurance act, which is a crime and subjects such person to criminal and civil penalties. **THIS AUTHORIZATION IS NOT A GUARANTEE OF PAYMENT.** PAYMENT IS BASED ON BENEFITS IN EFFECT AT THE TIME OF SERVICE, MEMBER ELIGIBILITY AND MEDICAL NECESSITY.

Prior Authorization Group – Oncology: Liposarcoma Meds PA

Drug Name(s):

HAVLEN	ERIBULIN MESYLATE
YONDELIS	TRABECTEDIN

Criteria for approval of Prior Authorization Drug:

1. Prescribed for an approved FDA diagnosis (as listed below):
2. Prescribed by, or in consultation with an oncologist or other cancer specialist related to the diagnosis.
3. Drug is being used appropriately per CMS recognized compendia, authoritative medical literature, evidence-based guidelines and/or accepted standards of medical practice.
4. Member does not have any clinically relevant contraindications, or CMS/Plan exclusions, to the requested drug.
 - If the member meets all these criteria, they may be approved by the Plan for the requested drug.
 - Quantity limits and Tiering will be determined by the Plan.

Exclusion Criteria:

Cannot be prescribed for experimental or investigational use.

Prescriber Restrictions:

Oncologist or other cancer specialist

Coverage Duration:

New Start: Approval will be for 6 months

Continuation: Approval will be for 12 months

FDA Indications:

Havalen

- Liposarcoma, Unresectable or metastatic, after a prior anthracycline-containing regimen
- Metastatic breast cancer, After 2 or more chemotherapy regimens for metastatic disease (Havalen only)

Yondelis

- Liposarcoma, Unresectable or metastatic, after a prior anthracycline-containing regimen
- Leiomyosarcoma, Unresectable or metastatic, after prior anthracycline-containing regimen (Yondelis only)

Off-Label Uses:

Havalen

- Metastatic breast cancer, HER2-negative, first- or second-line chemotherapy for metastatic disease

Yondelis

- Ovarian cancer, In combination with pegylated liposomal DOXOrubicin, following 1 or 2 previous platinum-based chemotherapy regimens

Age Restrictions:

Safety and effectiveness not established in pediatric patients

Other Clinical Considerations:

Cancer diagnoses: Criteria as per NCCN or other FDA-approved cancer related guidelines.

Resources:

https://www.micromedexsolutions.com/micromedex2/librarian/CS/CFA25B/ND_PR/evidencexpert/ND_P/evidencexpert/DUPLICATIONSHIELDSYNC/5AEE35/ND_PG/evidencexpert/ND_B/evidencexpert/ND_AppProduct/evidencexpert/ND_T/evidencexpert/PFActionId/evidencexpert.DoIntegratedSearch?SearchTerm=eribulin&UserSearchTerm=eribulin&SearchFilter=filterNone&navitem=searchGlobal#

https://www.micromedexsolutions.com/micromedex2/librarian/CS/8C0207/ND_PR/evidencexpert/ND_P/evidencexpert/DUPLICATIONSHIELDSYNC/34BE38/ND_PG/evidencexpert/ND_B/evidencexpert/ND_AppProduct/evidencexpert/ND_T/evidencexpert/PFActionId/evidencexpert.DoIntegratedSearch?SearchTerm=trabectedin&UserSearchTerm=trabectedin&SearchFilter=filterNone&navitem=searchGlobal#

CLINICAL / CMS
ONLY